



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : H04M 3/00, H04L 29/12, H04M 3/42</p>	<p>A1</p>	<p>(11) International Publication Number: WO 99/57872 (43) International Publication Date: 11 November 1999 (11.11.99)</p>
<p>(21) International Application Number: PCT/NL99/00259 (22) International Filing Date: 29 April 1999 (29.04.99) (30) Priority Data: 1009084 6 May 1998 (06.05.98) NL (71) Applicant: TELEMATICA HOLDINGS LTD. [NL/NL]; 3 L.B. Smith Plein, Willemstad, Curaçao (AN). (72) Inventor; and (75) Inventor/Applicant (for US only): VAN TOL, Alphonsus, Johannes [NL/NL]; Holtenberg 9, NL-2402 ZA Alphen a/d Rijn (NL). (74) Agent: LIPS, H., J., G.; Breiterlaan 146, NL-2596 HG The Hague (NL).</p>		<p>(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report. In English translation (filed in Dutch).</p>
<p>(54) Title: SYSTEM FOR COUPLING THE PUBLIC TELEPHONE NETWORK TO THE INTERNET</p>		
<p>(57) Abstract</p>		
<p>System for coupling the public telephone network to the Internet using a number of Points-of-Presence, or PoPs, arranged between the public telephone network or Public Switched Telephony Network PSTN, and an Internet Service Provider, or ISP. A Public Switched Packet Data Network is arranged between a number of PoPs and a number of ISPs in such a way that a signal received by a PoP can be switched through to more than one ISP. The PoP can be chosen from the public telephone network - PSTN - using various numbers, in which the selected number determines which ISP is contacted through the PSPDN. The PSPDN for applying the system is executed such, that it is able to switch a signal received from an arbitrary PoP to one specific ISP.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

System for coupling the public telephone network to the Internet.

The invention relates to a system for coupling the public telephone network to the Internet using a number of 5 Points-of-Presence, or PoPs, arranged between the public telephone network or Public Switched Telephony Network PSTN, and an Internet Service Provider, or ISP.

Access to the Internet is permitted by Internet Service Providers. With the present system of coupling to the Inter- 10 net, each ISP has a number of arranged PoPs.

Through the public telephone network, indicated as PSTN, an Internet user establishes a connection with a PoP of the desired ISP. Then, from the PoP the traffic is routed to the ISP concerned through a fixed connection.

15 When the routing is applied as described in the non-prepublished dutch patent application NL-1008259, one PoP per traffic exchange area for each ISP will suffice. Furthermore, then directly at the source it will already be known that it concerns Internet traffic.

20 Necessarily, the ISP must provide for a covering network of PoPs and further rent fast connections between them and the central server. This is a relatively expensive matter, particularly for smaller ISPs.

The object of the invention is to remove this difficul- 25 ty and to that end provides for, that a Public Switched Packet Data Network is arranged between a number of PoPs and a number of ISPs in such a way that a signal received by a PoP can be switched through to more than one ISP.

This means that a number of ISP's can use one single 30 PoP, in which the signal led to a PoP will comprise an indication of which ISP the PoP is to be connected to.

Thus, the number of PoPs can be considerably reduced. Said PSPDN can be applied for all or a number of ISPs for providing the routing from a number of PoPs to it.

The PSPDN can be under the responsibility of an Internet Access Operator to be established.

If the network operator of the PSTN has chosen for a routing as described in the previously stated dutch patent application NL-1008259, then the Internet user will have to choose a number consisting of a so-called prefix, indicating that it concerns an Internet call, and a serial number being unique per ISP. He will then be connected to the ISP of his choice through a certain PoP and the PSPDN.

10 The nature of the connection between PSTN and PoP also depends on the regulations in force. If the PoP is considered as a subscriber connection, then this should be a ISDN connection having DSS1-signalling. DSS1 is understood to mean Digital Subscriber Signalling. If, on the other hand, 15 the PoPs are considered as another network, then the connection should take place in the way standard networks of other operators are connected, as e.g. according to Q.767 or Q.763.

The outgoing router of a PoP will be connected to the 20 PSPDN by at least a 2 Mb link.

A PoP manager can be added to the PoPs described. This is a PC directly adjacent the PoP or at a distance from it, controlling a number of PoPs and performing the following functions:

- a) configuration management: management of the tables for conversion of telephone numbers into IP addresses;
- b) error management: indicating and recording errors in the connections to the PSTN and to the ISPs;
- c) performance management: monitoring the load of the PoPs for timely enhancement of the capacity; and
- d) accounting management: recording the use of the PoP itemized per ISP in order to be able to charge the 10 costs in proportion.

The invention is further explained by way of a diagram illustrated in the accompanying figure.

Therein, PSTN - Public Switched Telephony Network - stands for the public telephone network, PoP stands for a number of Points-of-Presence, PSPDN stands for Public Switched Packet Data Network and ISP 1, 2, 3 indicate some Internet Service Providers.

As illustrated in the diagram, a number of PoPs is coupled to the PSPDN which in turn is coupled to a number of ISPs. A PoP leads signal received from the PSTN to the PSPDN and from there further to the desired ISP. Thus, the signal received by a PoP can not, as is the case up to now, be forwarded to only one single ISP, but to a preselected ISP.

Obviously, the invention also relates to a Public Switched Packet Data Network - PSPDN - capable of connecting a signal received from an arbitrary PoP to one specific ISP.

It will be obvious, that only one possible embodiment of a system according to the invention has been illustrated in the drawing and described above and that many changes can be made without leaving the inventive idea, as it is indicated in the accompanying claims.

- claims -


C L A I M S

1. System for coupling the public telephone network to the Internet using a number of Points-of-Presence, or PoPs, arranged between the public telephone network, or Public Switched Telephony Network PSTN, and an Internet Service Provider, or ISP, characterized in that a Public Switched Packet Data Network, or PSPDN, is arranged between a number of PoPs and a number of ISPs, in such a way that a signal received by a PoP can be switched through to more than one
10 ISP.

2. System according to claim 1, characterized in that the PoP can be chosen from the public telephone network - PSTN - using various numbers, in which the selected number determines which ISP is contacted through the PSPDN.

15 3. Public Switched Packet Data Network PSPDN for applying a system according to claim 1 or 2, characterized in that it is executed such, that it is able to switch a signal received from an arbitrary PoP through to one specific ISP.

1/1



INTERNATIONAL SEARCH REPORT

International Application No

PCT/NL 99/00259

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 6 H04M3/00 H04L29/12 H04M3/42

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC 6 H04M H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 04088 A (WEBTV NETWORKS INC) 29 January 1998 (1998-01-29) abstract page 6 - page 7 page 25 - page 29 figures 6-8	1-3
X	US 5 621 734 A (MANN BRUCE E ET AL) 15 April 1997 (1997-04-15) column 3, line 21 - column 4, line 5 --- -/--	1

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

4 August 1999

Date of mailing of the international search report

12/08/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Megalou, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/NL 99/00259

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>ORLAMUENDER H ET AL: "HANDLING INTERNET TRAFFIC IN TELECOMMUNICATIONS NETWORKS" ISS '97. WORLD TELECOMMUNICATIONS CONGRESS. (INTERNATIONAL SWITCHING SYMPOSIUM), GLOBAL NETWORK EVOLUTION: CONVERGENCE OR COLLISION? TORONTO, SEPT. 21 - 26, 1997, vol. 1, 21 September 1997 (1997-09-21), pages 579-586, XP000720566</p> <p>ABE S ET AL the whole document</p>	1-3
A	<p>SCHOEN U ET AL: "CONVERGENCE BETWEEN PUBLIC SWITCHING AND THE INTERNET" IEEE COMMUNICATIONS MAGAZINE, vol. 36, no. 1, January 1988 (1988-01), pages 50-58, 63 - 65, XP000739153</p> <p>the whole document</p>	1-3
A	<p>MALKIN GARY SCOTT: "DIAL-IN VIRTUAL PRIVATE NETWORKS USING LAYER 3 TUNNELING" PROCEEDINGS OF THE 1997 22ND CONFERENCE ON LOCAL COMPUTER NETWORKS, LCN. MINNEAPOLIS, MN, USA, 2 - 5 November 1997, pages 555-561, XP002084438</p> <p>the whole document</p>	1-3

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/NL 99/00259

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9804088 A	29-01-1998	US 5862339 A	19-01-1999
		AU 3667197 A	10-02-1998
		EP 0920664 A	09-06-1999
US 5621734 A	15-04-1997	US 5058108 A	15-10-1991
		US 4823122 A	18-04-1989
		US 5734659 A	31-03-1989
		US 4975905 A	04-12-1990
		US 4975904 A	04-12-1990
		AU 633510 B	04-02-1993
		AU 4141689 A	21-12-1989
		AU 633511 B	04-02-1993
		AU 4141789 A	21-12-1989
		AU 591057 B	30-11-1989
		AU 4266185 A	05-12-1985
		BR 8502706 A	12-02-1986
		CA 1257399 A	11-07-1989
		CA 1279933 A	05-02-1991
		CA 1301941 A	26-05-1992
		DE 3584853 A	23-01-1992
		DE 3586430 A	03-09-1992
		DE 3586431 A	03-09-1992
		DE 3586433 A	03-09-1992
		DE 3586434 A	03-09-1992
		DE 3586633 A	15-10-1992
		DE 3586634 A	15-10-1992
		EP 0163577 A	04-12-1985
		EP 0380141 A	01-08-1990
		EP 0374131 A	20-06-1990
		EP 0374132 A	20-06-1990
		EP 0375664 A	27-06-1990
		EP 0374133 A	20-06-1990
		EP 0374134 A	20-06-1990
		FI 852198 A, B,	02-12-1985
		IE 57544 B	07-10-1992
		JP 2515075 B	10-07-1996
		JP 5063706 A	12-03-1993
		JP 1922242 C	07-04-1995
		JP 6048812 B	22-06-1994
		JP 61056538 A	22-03-1986
		JP 2698336 B	19-01-1998
		JP 8214003 A	20-08-1996